

## The Swedish Quality Register for Tonsil Surgery (SQTS)

## A description of the structure and data collection effective from 24 May 2023

Q1	Q2 (PROM)	Q3 (PROM)
First questionnaire <sup>§</sup> (day of surgery)	Second questionnaire° (30 days after surgery)	Third questionnaire° (6 months after surgery)
<ul> <li>Date of surgery</li> <li>Social security number (age, date of birth, gender)</li> <li>Outpatient- or inpatient surgery</li> <li>Indication*</li> <li>Surgical method#: TE, TEA, TT, TTA, UPPP</li> <li>Surgical technique for dissection: cold steel, coblation, radiofrequency, bipolar diathermy, unipolar diathermy, diathermy scissors, ultracision, or "other technique"-namely</li> <li>Surgical technique for haemostasis: None, compression with swabs, infiltration with epinephrine, forceps on a bleeding vessel, ligation, bipolar diathermy, coblation, radiofrequency, unipolar diathermy ligation, or "other" technique-namely</li> <li>Medicines that the patient is prescribed to take at home after the operation         <ul> <li>No medicines prescribed</li> <li>Paracetamol</li> <li>NSAID/ COX- inhibitors</li> <li>Opioids</li> </ul> </li> </ul>	The second and third questionnaires are automatically ge forwarded to the patients through 1177.se which is a digital Association of Local Authorities and Regions.  An introductory text to Q2 and Q3 explains that Q2 regar Q3 regards how the patient's problems have changed aft  Name, social security number, date Have you had any bleedings from the throat after the surgery? Have you visited medical care due to a bleeding from the throat after the surgery? (Yes/No) Have you been admitted to hospital due to a bleeding from the throat after surgery? (Yes/No) Was another surgery performed due to the bleeding from the throat? Have you had to contact medical care because of pain after the surgery? (Yes/No) Are you satisfied with the pain treatment that you were recommended after the surgery? (Yes/No) If NO, why?  The medicines did not help enough I ran out of medicines I experienced side effects of the recommended medications I didn't get enough information	enerated by the register database and ital service run by The Swedish
<ul> <li>Klonidin</li> <li>Antibiotics</li> <li>Tranexamic acid</li> <li>Other</li> </ul>	on how to treat the pain  Other reason, namely	

<sup>§</sup>09-11-2015 Q1 replaced two questionnaires (a pre- and a perioperative questionnaire). No changes in data collection was made.

- Snoring or obstructive sleep apnoea due to enlarged tonsils
- Dysphagia or oral motor dysfunction due to enlarged tonsils
- Recurrent tonsillitis-> at least three episodes of tonsillitis the last year
- Chronic tonsillitis- > at least three months with inflammation in the tonsils that affects daily activities
- Peritonsillitis-> peritonsillar abscess
- Systemic complication to tonsillitis-> systemic disease that worsens due to tonsillitis e.g. psoriasis, PFAPA

<sup>\*</sup> An explanation to the indications (in Swedish) is available to all surgeons at the SQTS webpage www.ton.registercentrum.se

<sup>\*</sup>TE- tonsillectomy, TEA- tonsillectomy with adenoidectomy, TT- tonsillotomy, TTA- tonsillotomy with adenoidectomy, UPPP- Uvulopalatopharyngoplasty From 12-09-2013 Q3 also contains a question regarding whether the respondent was the patient or a relative.